

## Brachyura (Crustacea: Decapoda) from the Northern Mariana Islands, Micronesia

Masatsune Takeda<sup>1)</sup>, Yasuo Fukui<sup>2)</sup>, Keiji Wada<sup>3)</sup>  
and Akira Asakura<sup>4)</sup>

<sup>1)</sup> Department of Zoology, National Science Museum, Tokyo  
3-23-1, Hyakunin-cho, Shinjuku-ku, Tokyo 169, Japan

<sup>2)</sup> Department of Zoology, Faculty of Science, Kyoto University  
Kitashirakawa-oiwakecho, Sakyo-ku, Kyoto 606, Japan

<sup>3)</sup> Department of Biology, Faculty of Science, Nara Women's University  
Kitauoya-nishimachi, Nara 630, Japan

<sup>4)</sup> Natural History Museum and Institute, Chiba  
955-2 Aoba-cho, Chuo-ku, Chiba 260, Japan

**Abstract** Sixty-two species of 13 families of brachyuran crabs were collected from the northern Mariana Islands. They are species of families Dromiidae, Dynomenidae, Majidae, Parthenopidae, Atelecyclidae, Portunidae, Xanthidae, Menippidae, Pilumnidae, Trapeziidae, Ocypodidae, Grapsidae, and Gecarcinidae, and 61 species among them are recorded from the northern Marianas for the first time.

**Key words:** Brachyura, Crustacea, rocky intertidal, subtidal, northern Marianas, Micronesia.

In May and June 1992, the Natural History Museum and Institute, Chiba (NHMIC) organized the expedition to the northern Mariana Islands in cooperation with the Department of the Natural Resources (Commonwealth of the Northern Mariana Islands) and the University of Guam Marine Laboratory. In this report, the brachyuran crabs collected by the research members are recorded, being 62 species of 13 families.

The crustacean brachyuran fauna of the northern Mariana Islands has so far been very poorly studied. The recorded species are *Calappa hepatica* (L.) of the Calappidae, *Grapsus tenuicrustatus* (Herbst) of the Grapsidae, and *Hapalocarcinus marsupialis* Stimpson of the Cryptochiridae from Maug (Eldredge *et al.*, 1977) and *Homola orientalis* Henderson of the Homolidae from off the east coast of Pagan (Eldredge, 1980). During the present expedition, many specimens of semiterrestrial grapsid crab *Grapsus tenuicrustatus* (Herbst) were also collected, though other 3 species were not obtained probably because of peculiar habit and habitat. Most of 62 recorded species are widely distributed in the coral reefs of the

West Pacific islands, but the *Trapezia* and *Tetralia* species of Trapeziidae wait for the comparative study and revisional work based on the specimens from many localities in wide geographical range.

### Methods

The islands investigated are, from north to south, Uracas, Maug North, Maug East, Maug West, Asuncion, Agrihan, Pagan, Alamagan, Guguan, Sarigan, and Anatahan. Most of the specimens were collected in the rocky intertidal areas of the islands, such collection sites being abbreviated as RI in the following list. Collections were also made by SCUBA diving in the subtidal areas, and depth of the collection site was recorded. Collectors (and their initials used in the list) were Akira Asakura (AA) and Taiji Kurozumi (TK) of the NHMIC, and Todd Pitlick (TP) of the University of Guam Marine Laboratory. All of the specimens are deposited in the NHMIC. ZC is the registration code for crustaceans. Identifications were made by M. Takeda for the families Dromiidae, Dynomenidae, Majidae, Parthenopidae, Atelecyclidae, Portunidae, Xanthidae, Menippidae,

Pilumnidae and Trapeziidae, by K. Wada for Ocypodidae, and by Y. Fukui for Grapsidae and Gecarcinidae. The carapace of each crab was measured to the nearest 0.1 mm with dial calipers, being given in the text as (breadth  $\times$  length) in mm. See Asakura *et al.* (1994) for detailed information on each sampling site.

### List of Collected Species

#### Family Dromiidae

##### 1. *Cryptodromia canaliculata* Stimpson

*Specimen examined.* 1 ♀ (6.0  $\times$  5.7), MAUG EAST-st.B, 3 m deep, on coral, 5 June, TK, ZC-1366.

#### Family Dynomenidae

##### 2. *Dynomene hispida* Desmarest

*Specimens examined.* 1 ♀ (7.9  $\times$  6.6), 3 juv. (3.7  $\times$  3.1, 4.3  $\times$  3.7, 5.3  $\times$  4.1), MAUG EAST-st.A, RI, 2 June, AA, ZC-1294, 1295, 1304, 1305; 1 ecdysis (7.5  $\times$  6.2), MAUG EAST-st. A, RI, on *Pocillopora* sp., 2 June, AA, ZC-1309; 1 ♂ (5.2  $\times$  4.5), 1 juv. (4.0  $\times$  3.4), MAUG NORTH-st.F, RI, on coral, 3 June, AA, ZC-1324.

#### Family Majidae

##### 3. *Menaethius monoceros* (Latreille)

*Specimen examined.* 1 juv. (1.8  $\times$  2.7), GUGUAN-st.A-st.A, RI, 17 May, AA, ZC-1260.

##### 4. *Perinea tumida* Dana

*Specimens examined.* 2 ♂ (4.9  $\times$  4.5, 6.1  $\times$  6.6), MAUG NORTH-st.F, RI, on coral, 3 June, AA, ZC-1323, 1335; 1 ♂ (5.3  $\times$  5.9), MAUG WEST-st. E, RI, on coral, 4 June, AA, ZC-1358; 1 ♂ (5.9  $\times$  6.0), 2 ovig. ♀ (6.2  $\times$  6.4, 6.3  $\times$  6.4), MAUG EAST-st.B, 3 m deep, on coral, 5 June, TK, ZC-1371.

##### 5. *Tiarinia spinigera* Stimpson

*Specimen examined.* 1 ♂ (8.7  $\times$  12.1), AGRIHAN-st.C, 3 m deep, 30 May TK, ZC-1275.

#### Family Parthenopidae

##### 6. *Daira perlata* (Herbst)

*Specimens examined.* 1 juv. (3.3  $\times$  2.4), GUGUAN-st.A, RI, 17 May, AA, ZC-1258; 2 carapaces (29.9  $\times$  21.1, 26.3  $\times$  18.1), PAGAN-st.A, RI, 24 May, AA, ZC-1265; 8 carapaces (22.5  $\times$  15.2, 25.2  $\times$  16.6, 36.1  $\times$  25.0, 36.4  $\times$  25.3, 37.0  $\times$  24.8, 41.1  $\times$  27.6, 42.8 [ $\times$  29.5, 44.1  $\times$  30.4]), ALAMA-

GAN-st.B, RI, 9 June, AA, ZC-1391.

#### Family Atelecyclidae

##### 7. *Kraussia rugulosa* (Krauss)

*Specimen examined.* 1 ovig. ♀ (12.6  $\times$  10.7), ALAMAGAN-st.B, RI, 9 June, AA, ZC-1397.

#### Family Portunidae

##### 8. *Charybdis erythrodactyla* (Lamarck)

*Specimens examined.* 1 carapace (75.8  $\times$  50.1), AGRIHAN-st.C, RI, 30 May, AA, ZC-1274.

##### 9. *Thalamita admete* (Herbst)

*Specimens examined.* 1 juv. (3.9  $\times$  2.6), GUGUAN-st. A, RI, 17 May, AA, ZC-1257; 1 ♂ (14.5  $\times$  9.3), 1 ♀ (7.6  $\times$  4.5), 1 ovig. ♀ (12.4  $\times$  7.9), MAUG EAST-st.A, RI, 2 June, AA, ZC-1289, 1290, 1298; 2 juv. (3.1  $\times$  2.2, 4.1  $\times$  3.0), URACAS-st.A, RI, 6 June, AA, ZC-1379, 1387.

##### 10. *Thalamita picta* Stimpson

*Specimen examined.* 1 juv. (5.6  $\times$  4.6), ALAMAGAN-st.A, RI, 19 May, AA, ZC-1263.

#### Family Xanthidae

##### 11. *Chlorodiella cytherea* (Dana)

*Specimens examined.* 1 ♀ (6.6  $\times$  4.5), PAGAN-st.A, RI, 24 May, AA, ZC-1264; 1 ovig. ♀ (4.3  $\times$  2.9), MAUG EAST-st.B, 3 m deep, on coral, 5 June, TK, ZC-1376.

##### 12. *Forestia depressa* (White)

*Specimens examined.* 1 ecdysis (11.0  $\times$  9.1), PAGAN-st.A, RI, 24 May, AA, ZC-1267; 1 juv. (4.5  $\times$  4.0), PAGAN-st.C, 3 m deep, boulders, 26 May, TK, ZC-1269; 2 juv. (4.2  $\times$  3.7, 7.1  $\times$  6.0), MAUG EAST-st.A, RI, 2 June, AA, ZC-1286, 1291; 1 ♂ (16.9  $\times$  12.6), 4 juv. (5.4  $\times$  4.9, 7.0  $\times$  5.8, 7.2  $\times$  5.7, 9.3  $\times$  6.5), MAUG WEST-st. E, RI, 4 June, AA, ZC-1343, 1344, 1346, 1347, 1350, 1351.

##### 13. *Lachnopodus rodgersi* Stimpson

*Specimens examined.* 1 ovig. ♀ (43.2  $\times$  26.8), 1 ♂ (10.5  $\times$  6.9), MAUG EAST-st.A, RI, 2 June, AA, ZC-1283, 1285.

##### 14. *Leptodius sanguineus* (H. Milne Edwards)

*Specimens examined.* 1 ♂ (16.9  $\times$  11.2), ANATAHAN-st.A, RI, 11 May, AA, ZC-1428; 1 ♂ (19.7  $\times$  13.0), 1 ♀ (16.1  $\times$  10.7), ANATAHAN-st. B, RI, 12 May, AA, ZC-1249; 2 ♂ (30.6  $\times$  19.2, 23.5  $\times$  15.0), GUGUAN-st.A, RI, 17 May, AA, ZC-1253; 1 ♀ (14.7  $\times$  10.2), GUGUAN-st. A, 3 m deep, 17 May, TK, ZC-1262; 2 ♂ (33.3  $\times$  20.2, 19.0  $\times$  12.4), 1 ♀ (15.5  $\times$  10.0), PAGAN-st.D, RI,

27 May, AA, ZC-1270; 1 ♂ (20.0×12.9), PAGAN-st.D, 3 m deep, 27 May, TK, ZC-1271; 1 ♂ (13.4×9.0), AGRIHAN-st.B, RI, 29 May, AA, ZC-1273; 1 ♂ (39.3×24.3), MAUG EAST-st.A, RI, 2 June, AA, ZC-1287; 4 ♂ (20.7×13.1, 21.8×13.7, 26.7×12.3, 27.7×12.4), 3 ♀ (10.6×7.2, 18.0×10.7, 24.1×15.3), MAUG WEST-st.E, RI, 4 June, AA, ZC-1338, 1348; 5 ♂ (10.4×7.3, 10.7×7.6, 11.9×12.1, 18.6×12.7, 25.0×16.0), 1 ♀ (21.3×13.5), 1 ovig. ♀ (19.0×12.0); 1 ♂ (18.2×12.0), ALAMAGAN-st.B, RI, 9 June, AA, ZC-1389.

**15. *Liomeria rugata* (H. Milne Edwards)**

*Specimens examined.* 1 ♀ (9.3×5.4), PAGAN-st.A, RI, 24 May, AA, ZC-1266; 1 ♂ (8.4×4.6), MAUG EAST-st.A, RI, 2 June, AA, ZC-1299.

**16. *Lophozozymus pulchellus* A. Milne Edwards**

*Specimen examined.* 1 ♂ (6.8×4.7), AGRIHAN-st.C, 3 m deep, 30 May, TK, ZC-1276.

**17. *Lybia tessellata* (Latreille)**

*Specimen examined.* 1 ♀ (5.4×4.4), MAUG EAST-st.B, 3 m deep, on coral, 5 June TK, ZC-1378.

**18. *Macromedaeus nudipes* (A. Milne Edwards)**

*Specimen examined.* 1 ♀ (15.0×10.2), MAUG EAST-st.A, RI, 2 June, AA, ZC-1288.

**19. *Paraxanthias notatus* (Dana)**

*Specimens examined.* 1 ♂ (6.7×4.7), MAUG EAST-st.A, RI, on coral, 2 June, AA, ZC-1301; 1 ♂ (3.8×2.9), MAUG NORTH-st.F, RI, on coral, 3 June AA, ZC-1330.

**20. *Phymodius* sp.**

*Specimens examined.* 2 juv.(3.2×2.5, 3.3×2.6), MAUG WEST-st.E, RI, on coral, 4 June, AA, ZC-1360.

**21. *Pilodius harmsi* Balss**

*Specimens examined.* 11 juv.(2.2×1.7, 2.4×1.7, 2.5×2.0, 2.5×2.1, 2.9×1.9, 3.0×2.1, 3.0×2.2, 3.4×2.4, 3.9×2.8, 4.2×3.4, 4.3×3.0), GUGUAN-st.A, RI, 17 May, AA, ZC-1259; 1 ♂ (5.5×3.7), MAUG WEST-st.E, RI, 4 June, AA, ZC-1345.

**22. *Pilodius paumotensis* Rathbun**

*Specimens examined.* 2 ♀ (6.2×4.3, 6.6×4.7), MAUG EAST-st.A, RI, on coral, 2 June, AA, ZC-1312, 1317.

**23. *Pseudoliomera granosimana* (A. Milne Edwards)**

*Specimen examined.* 1 juv.(7.5×4.9), MAUG

EAST-st.A, RI, 2 June, AA, ZC-1284.

**24. *Pseudoliomera helleri* (A. Milne Edwards)**

*Specimens examined.* 1 ♀ (11.8×8.0), MAUG EAST-st.A, RI, on coral, 2 June, AA, ZC-1316; ♀ (12.2×8.5, 13.3×9.3), MAUG NORTH-st.F, RI, on coral, 3 June AA, ZC-1319; 1 juv.(5.0×3.9), MAUG WEST-st.E, RI, on coral, 4 June, AA, ZC-1356; 2 ♂ (6.1×4.4, 8.1×5.5), 3 juv.(2.2×1.7, 3.7×3.0, 3.9×3.0), URACAS-st.A, RI, 6 June, AA, ZC-1384, 1385, 1386.

**25. *Pseudoliomera remota* (Rathbun)**

*Specimens examined.* 1 ♀ (7.1×4.7), 4 juv.(3.6×2.5, 3.7×2.5, 3.7×2.4, 3.7×2.5), MAUG EAST-st.A, RI, on coral, 2 June, AA, ZC-1296, 1297, 1306, 1311, 1318; 1 ♂ (6.2×4.4), MAUG WEST-st.E, RI, on coral, 4 June, AA, ZC-1357; 1 ♀ (7.1×5.0), 7 juv.(2.1×1.4, 2.5×1.9, 3.3×2.2, 3.3×2.5, 3.5×2.1, 4.6×3.5, 4.7×3.2), 1 carapace (6.4×4.4), URACAS-st.A, RI, 6 June, AA, ZC-1381, 1382, 1388, 1395.

**26. *Pseudoliomera speciosa* (Dana)**

*Specimens examined.* 1 juv.(4.0×3.0), 1 ovig. ♀ (7.5×5.7), MAUG EAST-st.A, RI, on coral, 2 June, AA, ZC-1308, 1314; 1 ♂ (4.6×3.4), 1 juv.(3.6×2.6), URACAS-st.A, RI, 6 June, AA, ZC-1380, 1383.

**27. *Xanthias gilbertensis* Balss**

*Specimens examined.* 1 juv. (4.2×3.0), 1 ♂ (8.7×5.9), 1 ♀ (9.9×6.9), MAUG NORTH-st.F, RI, on coral, 3 June, AA, ZC-1329, 1334.

**28. *Xanthias lividus* (Lamarck)**

*Specimen examined.* 1 ♂ (46.6×29.4), MAUG EAST-st.A, RI, 2 June, AA, ZC-1282.

**Family Menippidae**

**29. *Dacryopilumnus eremita* Nobili**

*Specimen examined.* 1 ♂ (3.0×2.3), MAUG NORTH-st.F, RI, on coral, 3 June, AA, ZC-1321

**30. *Epixanthus corrosus* A. Milne Edwards**

*Specimens examined.* 1 ♂ (12.7×7.6), 1 ♀ (18.6×11.0), MAUG WEST-st.E, RI, 4 June, AA, ZC-1342, 1353.

**31. *Eriphia scabricula* Dana**

*Specimen examined.* 1 ecdysis (12.1×8.1), ALAMAGAN-st.B, RI, 9 June, AA, ZC-1393

**32. *Lydia annulipes* (H. Milne Edwards)**

*Specimen examined.* 1 ♂ (24.1×15.8), ANATAHAN-st.C, RI, 13 May, AA, ZC-1250.

**33. *Ozius tuberculatus* H. Milne Edwards**

*Specimens examined.* 1 ♂ (38.1×26.8), ANA-

TAHAN-st.D, RI, 14 May, TK, ZC-1251; 1 ♂ (49.5×33.5, 52.3×36.8), GUGUAN-st.A, RI, 17 May, AA, ZC-1254, 1255; 1 ♀ (49.7×34.9), AGRIHAN-st.A, RI, 28 May, AA, ZC-1272; 1 ♂ (69.2×47.9), ASUNCION-st.A, RI, AA, 1 June, ZC-1277.

#### 34. *Pseudozius caystrus* (Adams et White)

*Specimens examined.* 1 juv. (4.7×3.3), SARIG-AN-st.A, RI, 16 May, TK, ZC-1252; 1 ♂ (17.0×10.5), GUGUAN-st.A, RI, 17 May, TK, ZC-1261; 1 ♂ (17.4×10.6), 1 ♀ (15.6×9.8), 1 ovig. ♀ (9.0×6.4), MAUG NORTH-st.F, RI, on coral, 3 June, AA, ZC-1320, 1333; 4 ♂ (6.7×4.3, 7.9×5.4, 10.4×6.3, 11.0×7.1), 8 ♀ (7.6×5.0, 8.2×5.5, 9.3×5.4, 10.5×6.5, 11.2×6.7, 13.1×8.2, 14.4×8.3, 18.3×10.8), 1 ovig. ♀ (19.4×12.4), MAUG WEST-st.E, RI, 4 June, AA, ZC-1339, 1352; 1 ♀ (14.0×9.7), URACAS-st.A, RI, 6 June, AA, ZC-1390.

### Family Pilumnidae

#### 35. *Nanopilumnus coralliphilus* (Takeda et Miyake)

*Specimen examined.* 1 ovig. ♀ (3.4×2.3), MAUG EAST-st.B, 3 m deep, on coral, 5 June, TK, ZC-1364.

#### 36. *Parapilumnus* sp.

*Specimen examined.* ♀ (3.1×2.4), GUGUAN-st.A, RI, 17 May, TK, ZC-1256.

### Family Trapeziidae

#### 37. *Domecia glabra* Alcock

*Specimen examined.* 1 ♂ (4.1×3.6), MAUG EAST-st.B, 3 m deep, on coral, 5 June, TK, ZC-1372.

#### 38. *Domecia hispida* Eydoux et Souleyet

*Specimen examined.* 1 ♀ (4.3×3.2), ASUNCION, westside, 3 m deep, on coral, 1 June, TP, ZC-1279.

#### 39. *Tetralia glaberrima* (Herbst)

*Specimens examined.* 2 ♂ (3.8×3.1, 3.7×3.1), MAUG EAST-st.A, RI, on coral, 2 June, AA, ZC-1302.

#### 40. *Tetralia glaberrima obscura* Patton

*Specimens examined.* 1 ovig. ♀ (8.3×7.7), 1 ♂ (5.3×4.5), ASUNCION, westside, 3 m deep, on coral, 1 June, TP, ZC-1278.

#### 41. *Trapezia areolata* Dana

*Specimens examined.* 1 ♀ (5.2×4.0), 1 ♂ (4.4×3.8), MAUG EAST-st.A, RI, on coral, 2

June, AA, ZC-1303; 3 ♂ (3.5×2.7, 4.1×3.8, 4.8×4.1), ♀ (4.9×4.2), MAUG NORTH-st.F, RI, on coral, 3 June AA, ZC-1336, 1340; 1 ♂ (4.4×3.7), MAUG WEST-st.E, RI, on coral, 4 June, AA, ZC-1359.

#### 42. *Trapezia "areolata"* sensu Forest et Guinot (1961)

*Specimens examined.* 3 ♂ (4.6×4.1, 4.9×4.2, 5.2×4.3), 3 ♀ (4.1×3.6, 4.4×3.9, 5.6×4.5), 1 ovig. ♀ (5.5×4.7), MAUG EAST-st.A, RI, on coral, 2 June, AA, ZC-1293, 1310, 1313; 3 ♂ (4.1×3.6, 4.3×4.0, 5.0×4.3), 1 ♀ (4.7×4.0), 1 ovig. ♀ (3.9×3.2), MAUG NORTH-st.F, RI, on coral, 3 June AA, ZC-1322, 1325, 1327, 1328; 1 ovig. ♀ (5.1×4.8), MAUG WEST-st.E, RI, on coral, 4 June, AA, ZC-1355.

#### 43. *Trapezia cymodoce* (Herbst)

*Specimens examined.* 5 ♂ (6.2×5.4, 8.5×7.2, 13.5×11.7), 1 ovig. ♀ (9.3×7.2), MAUG EAST-st.B, 3 m deep, on coral, 5 June, TK, ZC-1367, 1377.

#### 44. *Trapezia digitalis* Latreille

*Specimens examined.* 1 ♀ (4.8×3.9), MAUG EAST-st.A, RI, 2 June, AA, ZC-1300; 1 ♀ (5.2×4.5), MAUG NORTH-st.F, RI, on coral, 3 June AA, ZC-1322.

#### 45. *Trapezia ferruginea* Latreille

*Specimens examined.* 1 ♀ (6.7×5.7), ASUNCION, westside, 3 m deep, on coral, 1 June, TP, ZC-1280; 1 ♀ (6.5×5.0), MAUG EAST-st.A, RI, on coral, 2 June, AA, ZC-1315; 2 ♂ (6.8×6.2, 7.5×6.2), MAUG EAST-st.A, 3 m deep, on coral, 5 June, TK, ZC-1365, 1373.

#### 46. *Trapezia flavopunctata* Eydoux et Souleyet

*Specimen examined.* 1 ♂ (6.3×5.8), MAUG EAST-st.B, 3 m deep, on coral, 5 June, TK, ZC-1361.

#### 47. *Trapezia speciosa* Dana

*Specimens examined.* 1 ♂ (5.3×4.1), 2 ♀ (4.2×3.8, 5.5×4.7), MAUG EAST-st.A, RI, on coral, 2 June, AA, ZC-1292, 1307; 1 ♂ (4.0×3.6), 1 ♀ (3.7×3.0), 1 ovig. ♀ (5.0×4.1), MAUG NORTH-st.F, RI, on coral, 3 June AA, ZC-1326, 1340; 2 ♂ (5.4×4.4, 9.0×6.8), 1 ovig. ♀ (5.4×4.4), MAUG EAST-st.B, 3 m deep, on coral, 5 June, TK, ZC-1363, 1370, 1374.

#### 48. *Trapezia tigrina* Eydoux et Souleyet

*Specimens examined.* 3 ♂ (5.2×4.3, 9.3×7.0, 11.1×8.9), (12.7×10.1), 1 ovig. ♀ (7.3×5.9), 2

juv.( $3.5 \times 2.8$ ,  $4.5 \times 4.0$ ), MAUG EAST-st.B, 3 m deep, on coral, 5 June, TK, ZC-1362, 1368, 1369, 1375.

#### 49. *Trapezia* sp.

*Specimens examined.* 1 ♂ ( $3.8 \times 3.3$ ), 1 ♀ ( $3.9 \times 3.2$ ), 1 ovig. ♀ ( $4.5 \times 3.9$ ), MAUG NORTH-st.F, RI, on coral, 3 June AA, ZC-1337.

### Family Ocypodidae

#### 50. *Ocypode cordimana* Latreille

*Specimens examined.* 4 ♂ ( $9.8 \times 7.6$ ,  $15.4 \times 13.2$ ,  $18.8 \times 17.0$ ,  $19.2 \times 17.6$ ), 1 ♀ ( $27.8 \times 24.3$ ), PAGAN-st.C, upper shore, sandy beach, 26 May, AA, ZC-1400.

#### 51. *Ocypode ceratophthalma* (Pallas)

*Specimen examined.* 1 juv. ( $5.6 \times 5.0$ ), AGRIHAN-st.C, upper shore, sandy beach, 30 May, AA, ZC-1401.

### Family Grapsidae

#### 52. *Grapsus tenuicrustatus* (Herbst)

*Specimens examined.* 1 ♂ ecdysis ( $33.3 \times 31.0$ ), ANATAHAN-st.A, RI, 11 May, AA, ZC-1402; 1 ♂ ( $19.6 \times 16.1$ ), SARIGAN-st.A, RI, 15 May, AA, ZC-1403; 2 ♂ ( $46.7 \times 44.4$ ,  $45.1 \times 42.4$ ), 2 ♂ ecdyses ( $36.6 \times 34.1$ ,  $43.1 \times ?$  broken), GUGUAN-st.A, RI, 17 May, AA, ZC-1405, 1406; 2 ♂ ( $41.3 \times 36.8$ ,  $50.3 \times 46.8$ ), 3 ♀ ( $39.4 \times 36.0$ ,  $47.3 \times 46.3$ ,  $59.4 \times 52.5$ ), PAGAN-st.C, RI, 26 May, AA, ZC-1407, 1408; 2 ♂ ( $42.0 \times 40.6$ ,  $62.1 \times 60.1$ ), AGRIHAN-st.A, RI, 29 May, AA, ZC-1409; 1 ♂ ecdysis, AGRIHAN-st.B, RI, 29 May, AA, ZC-1410; 1 ecdysis, sex unknown ( $20.5 \times 18.1$ ), AGRIHAN-st.C, RI, 30 May, AA, ZC-1411; 1 ecdysis, sex unknown ( $48.4 \times 46.7$ ), MAUG NORTH-st.F, RI, 3 June, AA, ZC-1412; 1 ecdysis, sex unkown ( $35.2 \times 34.1$ ), ALAMAGAN-st.B, RI, 9 June, AA, ZC-1413.

#### 53. *Grapsus longitarsis* Dana

*Specimens examined.* 1 ♂ ( $15.3 \times 12.8$ ), ANATAHAN-st.B, RI, 12 May, AA, ZC-1414; 1 ♂ ( $33.0 \times 30.1$ ), AGRIHAN-st.B, RI, 29 May, AA, ZC-1415.

#### 54. *Geograpsus grayi* (H. Milne Edwards)

*Specimens examined.* 2 ♂ ( $32.7 \times 26.6$ ,  $42.4 \times 33.6$ ), ANATAHAN-st.A, RI, 11 May, AA, ZC-1416, 1417; 1 ♀ ( $33.6 \times 28.6$ ), 1 ovi. ♀ ( $32.1 \times 27.0$ ), GUGUAN-st.A, RI, 17 May, AA, ZC-1418, 1419; 1 ecdysis, sex unknown ( $29.1 \times 24.2$ ), URACAS-st.A, RI 1, 6 June, AA, ZC-1420.

#### 55. *Geograpsus stormi* De Man

*Specimen examined.* 1 ♂ ( $30.8 \times 24.3$ ), MAUG W, RI, 4 June, AA, ZC-1421.

#### 56. *Geograpsus crinipes* (Dana)

*Specimens examined.* 1 ♂ ( $55.2 \times 46.8$ ), 1 ovi. ♀ ( $52.0 \times 43.7$ ), GUGUAN-st.A, RI, 17 May, AA, ZC-1422; 1 ♀ ( $51.5 \times 43.3$ ), MAUG EAST, RI, 2 June, AA, ZC-1423; 1 ♂ ( $43.9 \times 36.5$ ), MAUG EAST, RI, 3 June, AA, ZC-1424.

#### 57. *Pachygrapsus minutus* A. Milne Edwards

*Specimens examined.* 1 ovig. ♀ ( $3.5 \times 2.9$ ), MAUG WEST-st.E, RI, 4 June, AA, ZC-1347; 3 ♂ ( $7.4 \times 6.1$ ,  $6.2 \times 4.8$ ,  $6.2 \times 4.4$ ), 1 ♀ ( $4.0 \times 3.6$ ), ALAMAGAN-st.B, RI, 9 June, AA, ZC-1425.

#### 58. *Pachygrapsus plicatus* (H. Milne Edwards)

*Specimen examined.* 1 ♂ ( $12.2 \times 10.2$ ), ecdysis, PAGAN-st.A, RI, 24 May, AA, ZC-1426.

#### 59. *Cyclograpsus integer* H. Milne Edwards

*Specimens examined.* 2 ♀ ( $7.3 \times 5.8$ ,  $7.1 \times 5.0$ ), 1 juv. ( $4.9 \times 4.4$ ), MAUG WEST-st.E, RI, 4 June, AA, ZC-1427.

#### 60. *Plagusia tuberculata* Lamarck

*Specimens examined.* 1 ♂ ( $13.2 \times 12.9$ ), 1 ♀ ecdysis ( $17.1 \times 14.4$ ), 1 ecdysis, sex unknown ( $21.8 \times 19.2$ ), AGRIHAN-st.C, RI, 30 May, AA, ZC-1428, 1429.

#### 61. *Percnon planissimum* (Herbst)

*Specimens examined.* 1 juv. ( $6.7 \times 7.2$ ), ANATAHAN-st.C, RI, 13 May, AA, ZC-1430; 1 juv., ecdysis ( $6.4 \times 7.0$ ), PAGAN-st.A, RI, 24 May, AA, ZC-1431; 8 ecdyses, sex unknown ( $20.1 \times 21.5$ ,  $18.4 \times 18.8$ ,  $16.8 \times 17.3$ ,  $14.5 \times 15.8$ ,  $14.3 \times 15.3$ ,  $14.1 \times 15.0$ ,  $9.8 \times 10.0$ ,  $13.1 \times ?$ , broken,  $16.0 \times 17.2$ ), AGRIHAN-st.C, RI, 30 May, AA, ZC-1432, 1433; 2 ecdyses, sex unknown ( $14.8 \times 15.8$ ,  $11.6 \times 12.1$ ), AGRIHAN-st.C, RI, 30 May, AA, ZC-1434; 2 ♀ ( $9.9 \times 10.0$ ,  $29.6 \times 32.2$ ), MAUG EAST, RI, 2 June, AA, ZC-1435, 1436; 1 ♂ ( $13.1 \times 14.6$ ), 1 ♀ ( $11.2 \times 12.3$ ), 20 juv. ( $7.2 \times 8.2$ ,  $6.9 \times 7.8$ ,  $7.5 \times 7.6$ ,  $6.2 \times 7.1$ ,  $5.9 \times 6.7$ ,  $6.4 \times 7.2$ ,  $6.6 \times 7.0$ ,  $6.2 \times 6.3$ ,  $6.1 \times 6.2$ ,  $5.3 \times 5.7$ ,  $6.0 \times 6.2$ ,  $5.2 \times 6.0$ ,  $5.1 \times 6.1$ ,  $5.4 \times 6.1$ ,  $5.1 \times 5.7$ ,  $5.0 \times 5.5$ ,  $5.1 \times 5.6$ ,  $5.4 \times 6.2$ ,  $5.2 \times 6.0$ ,  $5.0 \times 5.6$ ), 1 megalopa ( $4.1 \times 5.3$ ), MAUG NORTH-st.F, RI, 3 June, AA, ZC-1437; 3 ♂ ( $12.4 \times 12.9$ ,  $14.7 \times 15.4$ ,  $18.0 \times 19.4$ ), 2 ♀ ( $8.9 \times 9.8$ ,  $19.1 \times 20.1$ ), 2 juv. ( $5.5 \times 6.0$ ,  $5.0 \times 5.8$ ), 1 carapace ( $5.3 \times 5.8$ ), MAUG WEST-st.E, RI, 4 June, AA, ZC-1354, 1438.

**Family Gecarcinidae**

**62. *Cardisoma rotundum* (Quoy et Gaimard)**

*Specimen examined.* 1 ♂ (59.1×46.2), MAUG EAST-st.A, alt. 10 m, 2 June, AA, ZC-1439.

**Acknowledgments**

We gratefully thank Messrs. T. Pitlick and P. Schupp of the University of Guam Marine Laboratory and Mr. T. Kurozumi of NHMIC for providing a part of specimens.

**References**

- Asakura, A., T. Ohba, S. Miyano, T. Furuki, T. Kurozumi and H. Harada. 1994. Outline of the biological expedition to the northern Mariana Islands, Micronesia. In Asakura, A. and T. Furuki (eds.), Biological Expedition to the Northern Mariana Islands, Micronesia. Nat. Hist. Res., Special Issue (1): 1-11.
- Eldredge, L. G., R. T. Tsuda, P. Moore, M. Chernin and S. Neudecker. 1977. A natural history of Maug, northern Mariana Islands. Univ. Guam Mar. Lab. Tech. Rept. 43: 1-87.
- Eldredge, L. G. 1980. Two species of *Homola* (Dromicea, Homolidae) from Guam. Micronesica 16: 271-277.